





■ **Mounting Method**
N : Pin mounting



Catalog No.	Working Face (W)	Stroke (ST)	θ	P1	P2	D	L	L1	L2
CFCG	50	19	0	115.00	42.50	95.0	220	175	200
		21	5	117.38	46.96	85.0			
		23	10	119.70	46.21	75.0			
		25	15	116.95	45.27	75.0			
		27	20	119.01	44.13	65.0			
		30	25	115.98	40.95	60.0			
		28	30	118.08	38.22	50.0			
		30	35	119.65	36.33	40.0			
		33	40	119.01	34.85	32.5			
		36	45	117.72	36.67	25.0			
		40	50	119.28	38.84	15.0			
		45	55	125.10	33.99	0.0			
		51	60	131.32	29.42	-15.0			



Order CFCG50-28-30-N
CFCG50-40-50-N



■ **Mounting Method**
K : Key mounting

Catalog No.	Working Face (W)	Stroke (ST)	θ	P1	P2	D	L	L1	K
CFCG	50	19	0	105.00	42.50	95.0	200	175	90
		21	5	107.38	46.96	85.0			
		23	10	109.70	46.21	75.0			
		25	15	106.95	45.27	75.0			
		27	20	109.10	44.13	65.0			
		30	25	105.98	40.95	60.0			
		28	30	108.08	38.22	50.0			
		30	35	109.65	36.33	40.0			
		33	40	109.01	34.85	32.5			
		36	45	107.72	36.67	25.0			
		40	50	109.28	38.84	15.0			
		45	55	115.10	33.99	0.0			
51	60	121.32	29.42	-15.0					




Order CFCG50-23-10-K
CFCG50-27-20-K



■ Mounting Method

- N : Pin mounting
- K : Key mounting

CFCG 65




Catalog No.	Working Face (W)	Stroke (ST)	θ	PH	H	P1	P2	D	K	B	B1	C	C1
CFCG	65	19	0	76	200	210.00	64.00	70.0	70	210	180	160	130
		21	5			203.74	57.07	65.0					
		23	10			201.88	55.27	62.5					
		25	15			194.42	53.67	55.0					
		27	20			186.41	52.31	45.0					
		30	25			179.97	51.13	40.0					
		32	30			173.78	50.47	35.0					
		35	35			163.83	50.31	30.0					
		38	40			154.21	50.15	20.0					
		36	45			145.90	48.19	10.0					
		40	50			137.99	46.64	5.0					
		38	55			128.99	45.77	-5.0					
		43	60			120.47	45.22	-15.0					



Order CFCG65-25-15-K
CFCG65-40-50-N

CFCG 80



■ Mounting Method

N : Pin mounting

K : Key mounting

Catalog No.	Working Face (W)	Stroke (ST)	θ	L	P1	P2	K	D	B	B1	B2	
CFCG	80	30	0	200	28.00	70.00	95	105.0	42.5	50	137.5	
		30	5		24.52	64.67						
		31	10		195	21.05		64.05				90
		29	15	192	21.72	63.12	80	80.0	34.5	44.5	135	
		32	20	190	22.44	61.90		75.0	32.5	42.5		
		32	25	187	20.28	70.41	75	63.0	29.5	39.5		
		34	30	185	18.27	58.64		50.0	27.5	37.5		
		36	35	170	10.42	56.62	50	43.0	12.5	12.5		145
		39	40		17.75	54.35		35.0				
		42	45		18.30	51.87		20.0				
		46	50		18.07	49.18		5.0				
		53	55		19.09	46.30		-8.0				
61	60	19.36	43.27		-20.0							



Order CFCG80-39-40-K
CFCG80-34-30-N